

ANÁLISIS GRANULOMÉTRICO SUELOS PARA TAMIZADO. UNE 103101:95

ZAHORRA NATURAL Y ARTIFICIAL

Tamices	Espec. PG- ZA-25		Espec. PG- ZN-25		Espec. PG- ZN-40	
	Que pasa (% min.)	Que pasa (% max.)	Que pasa (% min.)	Que pasa (% max.)	Que pasa (% min.)	Que pasa (% max.)
50	100	100	100	100	100	100
40	100	100	100	100	80	95
25	75	100	75	95	65	90
20	65	90	65	90	54	84
8	40	63	40	68	35	63
4	26	45	27	51	22	46
2	15	32	20	40	15	35
0,5	7	21	7	26	7	23
0,25	4	16	4	20	4	18
0,063	0	9	0	11	0	9

CURVA GRANULOMÉTRICA

